

Jeddah 2024 Saudi Arabia Youth Match Racing World Championship





# World Sailing 2024 YOUTH MATCH RACING WORLD CHAMPIONSHIP

27<sup>th</sup> November to 2<sup>nd</sup> December 2024 Jeddah, SAUDI ARABIA

The Organizing Authority is the Saudi Arabia Sailing Federation in conjunction with Jeddah Yacht Club and World Sailing

# **SAILING INSTRUCTIONS (SI)**

#### **ABREVIATIONS**

The following abbreviations apply to this Notice of Race and the Sailing Instructions:

PC: Protest Committee or International Jury

NoR: Notice of Race

OA: Organizing Authority RRS: Racing Rules of Sailing

SI: Sailing Instructions RC: Race Committee TD: Technical Delegate WS: World Sailing

ONB: Official Notice Board

[NP]: A boat may not protest as per NoR 1.3

SI - YMRWC I 25 November 2024

#### I RULES

- 1.1 The event is governed by the rules as detailed in NoR 1.
- 1.2 The RRS is changed as follows:
  - a) When flag AP is displayed ashore, 'I minute' is replaced with 'not less than 45 minutes' in Race Signals AP.
  - b) Add after the first sentence of Appendix A5.1 'When one of the boats in a match fails to sail the course, she will be scored no points without a hearing'.
  - c) RRS 32 is deleted and replaced with: 'After the starting signal, the RC may abandon or shorten any match for any reason, after consulting with the match umpires when practical'.
  - d) Within a flight, when a visual signal is displayed over a numeral pennant, the signal applies to that match only. This changes Race Signals.

#### **2 CHANGES TO SAILING INSTRUCTIONS**

- 2.1 Any change to the SI will be posted before 09.00 on the day it will take effect, except that any change to the schedule of races will be posted by 20.30 on the day before it will take effect.
- 2.2 Flag L will be displayed ashore on the day it will take effect until the boats have departed for the race course.
- 2.3 Changes to a SI may be made on the water. These will be signalled by the display of flag 3<sup>rd</sup> substitute with three sound signals from the RC boat. An umpire may communicate these RC changes either verbally or in writing.

#### 3 COMMUNICATION WITH COMPETITORS

- 3.1 First briefing and daily briefings will be at the academy, training room 3, 1st floor.
- Following racing each day there may be a competitors' debrief with umpires, same location as noted in 3.1.
- 3.3 Signals made ashore will be displayed from the flagpole located in Jeddah Academy on the terrace, I<sup>st</sup> floor.

#### 4 BOATS AND SAILS

- 4.1 Boats will be identified by bow numbers.
- 4.2 If supplied by the OA, the mainsail shall display the skipper's names [NP].
- 4.3 The sail combination to be used will be signalled from the RC boat before the attention signal. The signals will have the following meanings:

Signal	Mainsail	Fore Sail	Gennaker
No flag	Full	Jib	Yes
Flag "R"	One reef	Jib	Yes

CI ((T))	O	191.	NI.
Flag "I"	One reet	IID	INO
0		<b>)</b> -	-

- 4.4 Competitors may be required to exchange sails during a series to satisfy sponsorship commitments. This will not be grounds for redress. This changes RRS 62.
- 4.5 An umpire may give other restrictions or instructions to the boats verbally. Flag 3<sup>rd</sup> Substitute is not required.
- 4.6 The TD will decide which boats are to be used for each stage and when they decide a boat should not be used, the skipper assigned that boat will be given the temporary use of another boat.
- 4.7 The TD may permit a substitute boat when it is satisfied that the original boat is damaged and that repairs in the time available are not practical.
- 4.8 Boats will be exchanged in accordance with the pairing list and race schedule.

#### 5 FLIGHTS AND MATCHES

- 5.1 Match pairing lists will be provided at the briefings or may be distributed on the water if a new stage commences part way through a racing day.
- 5.2 In a knock-out series between two boats:
  - a) They will alternate assigned ends for each match.
  - b) When the series has been decided, further matches between these two will not sailed;
  - c) Crews will exchange boats after odd matches of the series, unless otherwise agreed by both skippers.
- 5.3 The number of matches to be sailed each day will be determined by the TD.
- 5.4 The TD may terminate any stage or the event when, in its opinion, it is impractical to attempt to hold the remainder of matches under the existing conditions or the remaining time scheduled. Early stages may be terminated in favor of later stages.
- 5.5 Each subsequent flight will be started as soon as practicable after the previous flight.
- 5.6 When a match cannot start at the intended time, the RC may advise the competitors verbally through the umpires of its intention to change the starting order. Flag 3rd substitute will not be used.
- 5.7 When, in a knock out series, a winner of a particular series has been determined, subsequent starts will be brought forward to eliminate blank starts. Competitors will be so advised verbally by an umpire.

#### 6 COURSES AND MARKS

#### 6.1 Configuration (not to scale)

The sequence of the W marks is subject to change and is not subject to redress.

Windward mark "W"







Leeward gate "L"



Start/Finishing Line



#### 6.2 Signals and Course to be sailed:

No signal: Start – W – Gate L – W – Finish

Mark W shall be rounded to starboard. If one mark of the gate is missing, round the single leeward mark to starboard. While the boats are on the first half of a downwind leg the gate or finish line may be adjusted without signalling a course change. This changes RRS 33.

## Mark W will be a white, green or a red robotic mark.

Gate L is made with 2 white robotic marks.

The windward mark for each match will be signalled by displaying a flag on the RC boat with the colour of the mark at the preparatory signal. This changes RRS 27.1.

Starting / Finishing Line:

When looking up the course, the starting and finishing line is between a staff displaying an orange flag on the RC boat at the starboard end and the course side of the white robotic mark at the port-end. The RC boat will be attached by an anchor line to a yellow special mark. Boats shall not pass between this yellow special mark and the RC boat at any time. This area is designated as an obstruction.

#### Course Limits:

- a) 2 small red buoys may be laid close to the shore in front of the Jeddah Yacht Club. While racing, no part of a boat's hull shall cross the imaginary straight line between any two adjacent buoys on the same side of the course, between the tower on the North side and the Northest small red buoy and between the Southest small red buoy and the end of the pier of the marina when exiting [NP].
- b) These lines and/or areas are obstructions and are the limit of safe pilotage for the purposes of Part 2 of the RRS.
- c) There is no penalty for touching these buoys and/or lines.

d) A breach of this SI 6.3 a), b) or c) is not open to protest by boats but is subject to action by umpires in accordance with RRS C8.2. If a boat breaks this SI while not racing, the umpires shall act under C8.4. This changes RRS C6.2 and C8.2 [NP].

#### 8 STARTING PROCEDURE

Time	Visual signal	Sound signal	Means
7'	Flag F displayed	One	Attention signal
6'	Flag F removed	None	
5'	Numeral pennant displayed	One	Warning signal
4'	Flag P displayed		
AND	white, green or red flag*** displayed	One	Preparatory signal
2'	Blue or Yellow or both flags displayed**	One**	End of pre-start entry time
1'	Flag P removed	One long	
0'	Warning signal removed	One	Starting signal
AND	white, green or red flag removed		

This changes RRS C3.1 except preamble, (\*) and (\*\*) and RRS 27.1.

#### 9 CHANGE OF THE NEXT LEG OF THE COURSE

- 9.1 A change of course after the start will be signalled before the leading boat has begun the next leg, although the new mark may not be in position.
- 9.2 Change of Course Signals:
- (a) Flag "C" and a coloured flag or board means: "The windmark has been changed. Sail to a mark the same colour as the flag or board". This changes RRS 33 and Race Signals.
- (b) When a change of course after starting only affects some matches, these will be designated by the appropriate numeral pennant.
- 9.3 Signalling Vessel
  When a change of course is signalled after the first leg it will be displayed from a boat in the vicinity of the gate.

#### 10 BREAKDOWN AND TIME FOR REPAIRS

10.1 Before the attention signal of a flight or within two minutes of finishing or within five minutes of changing into a new boat, whichever is later, a boat may display a white flag to signal

<sup>\*\*\*</sup>These coloured flags describe the windward mark to round.

- breakdown or damage to the boat, her sails or injury to her crew and request a delay to the next start. She shall proceed as soon as possible to close to leeward of the RC boat and remain there, unless otherwise directed.
- The time allowed for repairs shall be at the discretion of the RC.
- After the attention signal of a flight, a match will not be postponed or abandoned due to breakdown unless the breakdown signal was displayed as required by SI 10.1.
- 10.4 Except when RRS 62.1(b) applies, failure to effect repairs in the time allowed, or breakdowns after the attention signal shall not be grounds for redress. This changes RRS 62.

#### II TIME LIMIT

A boat that does not finish within 5 minutes after her opponent has completed the course and finished will be scored DNF. This changes RRS 35 and A5.

#### 12 RISK STATEMENT

Refer to NoR 15.

### ADDENDUM A LIST OF ELIGIBLE SKIPPERS

Skipper Name	Country	Ranking	
HYDE	NZL	I	
TAPPER	AUS	2	
ROSSI	FRA	3	
DELERCE	FRA	4	
HIGGINS	IRL	14	
CALLAHAN	USA	16	
MALPOT	NZL	22	
BERNAL	BRA	24	
SPOSATO	ITA	31	
WESTERLIND	SWE	43	
ROSSING	DEN	80	
AL HUWEIL	KSA	NR	

<sup>\*</sup>World Sailing Ranking as on the 1st of October 2024

# ADDENDUM B HANDLING of BOATS

#### I. GENERAL

While all reasonable steps are taken to equalize the boats, variations will not be grounds for redress. This changes RRS 62.

#### 2. PROHIBITED ITEMS and ACTIONS

Except in an emergency or in order to prevent damage or injury, or when directed by an umpire otherwise, the following are prohibited.

- 2.1 Any additions, omissions or alterations to the equipment supplied.
- 2.2 The use of any equipment for a purpose other than that intended or specifically permitted.
- 2.3 The replacement of any equipment without the sanction of the RC.
- 2.4 Sailing the boat in a manner that it is reasonable to predict that significant further damage would result.
- 2.5 Moving equipment from its normal stowage position except when being used.
- 2.6 Boarding a boat without prior permission.
- 2.7 Taking a boat from its berth or mooring without having paid the required damage deposit or having permission from the RC, or, on race days, while 'AP' is displayed ashore.
- 2.8 Hauling out a boat or cleaning surfaces below the waterline.
- 2.9 Marking directly on the hull or deck with permanent ink, or using any tape leaves a residue/use of duct tape.
- 2.10 Using a flattener as a reef or using a reef line as an outhaul.
- 2.11 Cross winching foresail sheets.
- 2.12 Omitting any headsail car or turning block before sheeting onto a winch.
- 2.13 Adjusting or altering the tension of standing rigging, excluding the backstay.
- 2.14 Using a winch to adjust the mainsheet, backstay or vang.
- 2.15 Attaching lines to the fabric of gennakers.
- 2.16 Perforating sails, even to attach tell tales.
- 2.17 Radio transmission (including mobile telephones), except to report damage or in response to a request from the RC.
- 2.18 The use of electronic equipment, unless permitted by SI C3.1.
- 2.19 After the starting signal and while sailing close hauled for more than a few seconds, the main boom position shall be controlled only by using the mainsheet as it exits the block on the cockpit floor, and the vang.
- 2.20 Bowsprit restriction

Having the bowsprit extended, except when in the process of setting, flying or taking down the spinnaker. The bowsprit shall be fully retracted at the first reasonable opportunity after taking down the spinnaker. Extending the bowsprit before getting on the new leg of the course, after entering the zone of a rounding mark without a spinnaker set. The umpires will try to warn competitors before penalising for not retracting the bowsprit at the first reasonable opportunity.

2.21 A breach of SI Addendum B 2.19, 2.20 is subject to action by Umpires in accordance with RRS C8.2. This changes RRS C6.2 and C8.2.

#### 3. PERMITTED ITEMS and ACTIONS

#### The following are permitted:

3.1 Taking on board the following equipment:

- (a) basic hand tools
- (b) adhesive tape (not duct tape nor any tape that leaves a residue)
- (c) line (elastic or otherwise of 4 mm diameter or less)
- (d) marking pens
- (e) tell tale material
- (f) watch, timers and handheld compass and, with written permission from the OA, GoPro type devices,
- (g) shackles and clevis pins
- (h) Velcro tape
- (i) bosun's chair
- (j) spare flags
- (k) PFDs.
- 3.2 Using the items in 3.1 to:
- (a) prevent fouling of lines, sails and sheets
- (b) attach tell tales
- (c) prevent sails being damaged or falling overboard
- (d) mark control settings
- (e) make minor repairs and permitted adjustments
- (f) make signals as per RRS Appendix C6
- (g) personal safety
- 3.3 Fixing a spinnaker sheet catcher at the bow, providing that it does not extend the length of the boat more than 100 mm and does not require any repair after removal. If a spinnaker sheet catcher is attached by the OA, it shall not be changed.
- 3.4 Changing the number of mainsheet purchases.
- 3.5 The use of the shrouds (including any inner shrouds) to facilitate tacking or gybing, or to aid the projection of a crew member outboard is permitted.
- 3.6 The use of the Jib and Mainsail's halyard, without adding system, to facilitate tacking or gybing, or to aid projection of a crew member outboard is permitted.

#### 4. MANDATORY ITEMS and ACTIONS

#### The following are mandatory:

- 4.1 Report verbally to the TD and RC at the end of each day, even if no damage or loss is recorded. Reports shall include any evidence of matters, which could cause damage or disadvantage to the boat in future days. When boat swaps are carried out on the water, the report should be made verbally to the Td and RC as soon as possible.
- 4.2 At the end of each sailing day:
- (a) folding, bagging and placement of the sails as directed
- (b) leaving the boat in the same state of cleanliness as when first boarded that day
- (c) releasing backstay tension and tying the tiller amidships
- (d) securing the boat properly with fenders and bow, stern, and spring lines
- 4.3 At the end of the final day for a particular boat, cleaning the boat (cabin and decks), removing all trash and removing all tape and marks.
- 4.4 Any request to alter, in any way, the equipment on a boat shall be in writing and worded.

#### ADDENDUM C EQUIPMENT LIST

The following non-fixed items, provided by the OA, are be to carried on board at all times in their designated place while sailing. Any loss shall be reported on the daily damage report.

#### I. SAILS AND SAILING EQUIPMENT

One mainsail and set of battens

One jib

One gennaker (asymmetrical spinnaker)

One winch handle

One spinnaker sheet

Two headsail sheets

One tiller extension

Headsail cars

One white flag

One red flag

One "Y" flag

One blue flag

One yellow flag

#### 2. SAFETY GEAR

Bucket and lanyard

#### 3. TOOLS

Any supplied tools